


MEGA

TILE. the story of ceramic

600X1200MM



600X1200MM

WWW.MEGATILES.COM



REALISM

Timeless designs with delicate nuances give your space elegance-based harmony.



TIMELESS APPEAL

It is one of those collections that are timeless yet makes sure that your space never loses its contemporary charm. All the designs are a recreation of excellent luster and fine details that enhance the interior walls.




600x1200mm

Achieve harmony and elegance in our design.

Calm And Captivating.

Bringing back serenity and simplicity.



The
DÉCOR

Intense and expressive ceramic surface.



FOR MORE
CONTEMPORARY
INTERIORS.



A TRULY
ARCHITECTURAL
MASTERPIECE

THE COLLECTION





ALCORA BIANCO MA-111




Size : 600 X 1200 MM

Surface : Glossy

Random : 5



BIANCO VENATO MA-107



Size : 600 X 1200 MM

Surface : Glossy

Random : 4



CARRARA

MA-103



Size : 600 X 1200 MM

Surface : Endless

Random : 4



CLASSIC CREMA MARFIL MA-109




Size : 600 X 1200 MM

Surface : Glossy

Random : 4



GOLDEN SPIDER MA-101



Size : 600 X 1200 MM

Surface : Glossy

Random : 3



LEMON ONYX

MA-102



Size : 600 X 1200 MM


Surface : Glossy

Random : 2



MOON CREMA

MA-105



Size : 600 X 1200 MM

Surface : Endless

Random : 2



RAYMOND GREY MA-106





Size : 600 X 1200 MM

Surface : Endless

Random : 1



REGAL GRIS MA-112



Size : 600 X 1200 MM

Surface : Exclusive Marble Glossy

Random : 3



ROYAL SATUARIO MA-108




Size : 600 X 1200 MM


Surface : Endless

Random : 4



SUPER SPIDER MA-110





w   **d**
series





FOREST DARK MA-152



Size : 600 X 1200 MM

Surface : MATT

Random : 3



FOREST SILVER MA-153



Size : 600 X 1200 MM

Surface : MATT

Random : 3



ALAMO CHOKO MA-151



Size : 600 X 1200 MM

Surface : MATT

Random : 3



OLIVO GOLD MA-154



Size : 600 X 1200 MM

Surface : MATT

Random : 3

TECHNICAL SPECIFICATION

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP B1a	VALUE
DIMENSION & SURFACE QUALITY			
Deviation in length	ISO-10545-2	± 0.6%	± 0.2%
Deviation in Thickness	ISO-10545-2	± 5%	± 3%
Straight of Sides	ISO-10545-2	± 0.5%	± 0.2%
Rectangularity	ISO-10545-2	± 0.5%	± 0.2%
Surface Flatness	ISO-10545-2	± 0.5%	± 0.2%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO-10545-3	< 0.50%	< 0.04%
Mohs Hardness	EN-101	Min.5	Min.5
Flexural Strength	ISO-10545-4	> 35N/mm ²	⁸ > 40N/mm ²
Skid Resistance (Friction Coefficient)	ISO-10545-17	> 0.4	> 0.4
Breaking Strenght	ISO-10545-11	> 1113N	> 1 00N
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Noisture Expansion	ISO-10545-10	NIL	NIL
Resistance to Surface Abrasion	ISO-10545-7	Abrasion class shall be specified by the manufacturer	PIE IV
CHEMICAL PROPERTIES			
Chemical Resistance	ISO-10545-13	No Damage	No Damage
Color Resistance	ISO-10545-16	No Damage	⁸ No Damage
Stain Resistance	ISO-10545-14	Resistant	Resistant

PACKING DETAILS

Dimension (MM)	BOX			
	PIECES	Sq. Mtr.	Sq. Feet	Weight (Apx.)
600X1200MM	2	1.44	15.50	27.5 Kgs.